

Angles		
Size (in.)	Lbs/Ft.	20' Weight (Lbs)
1/2 x 1/2		
1/8	0	8
3/4 x 3/4		
1/8	1	12
1 x 1		
1/8	1	16
3/16	1	23
1/4	1	30
1-1/4 x 1-1/4		
1/8	1	20
3/16	1	30
1/4	2	38
1-1/2 x 1-1/2		
1/8	1	25
3/16	2	36
1/4	2	47
2 x 1-1/2		
1/8	1	29
3/16	2	42
1/4	3	55
2 x 2		
1/8	2	33
3/16	2	49
1/4	3	64
5/16	4	78
3/8	5	94

Angles		
Size (in.)	Lbs/Ft.	20' Weight (Lbs)
2 - 1/2 x 2-1/2		
3/16	3.070	61.400
1/4	4.100	82.000
5/16	5.000	100.000
3/8	5.900	118.000
1/2	7.700	154.000
3 x 2-1/2		
1/4	4.500	90.000
5/16	5.600	112.000
3/8	6.600	132.000
1/2	8.500	170.000
3 x 3		
3/16	3.710	74.200
1/4	4.900	98.000
5/16	6.100	122.000
3/8	7.200	144.000
1/2	9.400	188.000
3-1/2 x 3		
1/4	5.400	108.000
5/16	6.600	132.000
3/8	7.900	158.000
1/2	10.200	204.000
3-1/2 x 3-1/2		
1/4	5.800	116.000
5/16	7.200	144.000
3/8	8.500	170.000
1/2	11.100	222.000

Angles		
Size (in.)	Lbs/Ft.	20' Weight (Lbs)
4 x 3		
1/4	5.8	116
5/16	7.2	144
3/8	8.6	172
1/2	11.1	222
5/8	13.6	272
4 x 3-1/2		
1/4	6.2	124
5/16	7.7	154
3/8	9.1	182
1/2	11.9	238
5/8	14.7	294
4 x 4		
1/4	6.6	132
5/16	8.2	164
3/8	9.8	196
1/2	12.8	256
5/8	15.7	314
3/4	18.5	370
5 x 3		
1/4	6.6	132
5/16	8.2	164
3/8	9.8	196
1/2	12.8	256
5 x 3-1/2		
1/4	7	140
5/16	8.7	174
3/8	10.4	208
1/2	13.6	272
5/8	16.8	336
3/4	19.8	396

Angles		
Size (in.)	Lbs/Ft.	20' Weight (Lbs)
5 x 5		
5/16	10.300	206.000
3/8	12.300	246.000
1/2	16.200	324.000
5/8	20.000	400.000
3/4	23.600	472.000
6 x 3-1/2		
5/16	9.800	196.000
3/8	11.700	234.000
1/2	15.300	306.000
6 x 4		
5/16	10.300	206.000
3/8	12.300	246.000
1/2	16.200	324.000
5/8	20.000	400.000
3/4	23.600	472.000
6 x 6		
5/16	12.400	248.000
3/8	14.900	298.000
1/2	19.600	392.000
5/8	24.200	484.000
3/4	28.700	574.000
1	37.400	748.000
7 x 4		
3/8	13.600	272.000
1/2	17.900	358.000
5/8	22.100	442.000
3/4	26.200	524.000

Angles		
Size (in.)	Lbs/Ft.	20' Weight (Lbs)
8 x 4		
1/2	19.6	392
5/8	24.2	484
3/4	28.7	574
1	37.4	748
8 x 6		
1/2	23	460
5/8	28.5	570
3/4	33.8	676
1	44.2	884
8 x 8		
1/2	26.4	528
5/8	32.7	654
3/4	38.9	778
1	51	1020